

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A method to be executed as part of a process for creating an executable configuration program that comprises multiple steps that are successively executed and wherein associated with each of the steps are user-selectable options, the method comprising:

generating a user interface including at least (i) a logic flow area for a user to define a command structure for the configuration program including at least one step, and (ii) a refinement area for the user to specify a configuration detail regarding a step arranged in the logic flow area, and (iii) a rule palette for the user to create a rule, wherein the rule palette provides multiple conditional operators and entry fields;

creating and storing in a repository a the rule that during execution of the configuration program determines which of the user-selectable options for the step are displayed when a specified user-selectable option of a previous step is selected, wherein the step and the previous step are arranged in the logic flow area and the user specifies the rule in the refinement area; and

binding the rule in the repository to the specified user-selectable option so that during execution of the configuration program the rule is executed when the specified user-selectable option is selected.

2. (Original) The method of claim 1 wherein the binding of the rule to the specified user-selectable option is performed by virtue of a designer selecting a user-selectable option for which to create the rule.

3. (Previously presented) The method of claim 1 further comprising:
creating and storing in the repository a textual explanation of the step that describes available user-selectable options for the step; and

binding the textual explanation in the repository to the step so that during execution of the configuration program the textual explanation of the step is displayed.

4. (Original) The method of claim 3 wherein creating the textual explanation comprises translating the textual explanation into at least one different language.

5. (Original) The method of claim 1 further comprising evaluating the stability of a configured software application by executing the software application using a simulated user-selectable option.

6. (Currently Amended) A system comprising:
a computer network;
a service delivery device coupled to the network, the service delivery device including a processor and memory storing instructions that, in response to receiving a first type of request for access to a service, cause the processor to:

create an executable configuration program that comprises multiple steps that are successively executed and wherein associated with each of the steps are user-selectable options;

generate a user interface including at least (i) a logic flow area for a user to define a command structure for the configuration program including at least one step, and (ii) a refinement area for the user to specify a configuration detail regarding a step arranged in the logic flow area, and (iii) a rule palette for the user to create a rule, wherein the rule palette provides multiple conditional operators and entry fields;

create and store in a repository a the rule that during execution of the configuration program determines which of the user-selectable options for a step are displayed when a specified user-selectable option of a previous step is selected, wherein the step and the previous step are arranged in the logic flow area and the user specifies the rule in the refinement area; and

bind the rule in the repository to the specified user-selectable option so that during execution of the configuration program the rule is executed when the specified user-selectable option is selected.

7. (Original) The system of claim 6 wherein the memory stores instructions that, in response to receiving the first type of request, cause the processor to bind the rule to the specified user-selectable option by providing an ability to select a user-selectable option for which to create the rule.

8. (Previously presented) The system of claim 6 wherein the memory stores instructions that, in response to receiving the first type of request, cause the processor to:
create and store in the repository a textual explanation of the step that describes available user-selectable options for the step; and
bind the textual explanation in the repository to the step so that during execution of the configuration program the textual explanation of the step is displayed.

9. (Original) The system of claim 8 wherein the memory stores instructions that, in response to receiving the first type of request, cause the processor to translate the textual explanation into at least one different language.

10. (Original) The system of claim 6 wherein the memory stores instructions that, in response to receiving the first type of request, cause the processor to evaluate the stability of a configured software application by executing the software application using a simulated user-selectable option.

11. (Currently Amended) A computer-readable storage device ~~An article comprising a machine-readable medium tangibly storing machine-readable~~ instructions that, when executed by a processor, cause the processor to:

create an executable configuration program that comprises multiple steps that are successively executed and wherein associated with each of the steps are user-selectable options;

generate a user interface including at least (i) a logic flow area for a user to define a command structure for the configuration program including at least one step, ~~and~~ (ii) a refinement area for the user to specify a configuration detail regarding a step arranged in the

logic flow area, and (iii) a rule palette for the user to create a rule, wherein the rule palette provides multiple conditional operators and entry fields;

create and store in a repository a the rule that during execution of the configuration program determines which of the user-selectable options for a step are displayed when a specified user-selectable option of a previous step is selected, wherein the step and the previous step are arranged in the logic flow area and the user specifies the rule in the refinement area; and

bind the rule in the repository to the specified user-selectable option so that during execution of the configuration program the rule is executed when the specified user-selectable option is selected.

12. (Currently Amended) The ~~article~~ storage device of claim 11 including instructions that, when ~~applied to the machine~~ executed by the processor, cause the ~~machine~~ processor to bind the rule to the specified user-selectable option by providing an ability to select a user-selectable option for which to create the rule.

13. (Currently Amended) The ~~article~~ storage device of claim 11 including instructions that, when ~~applied to the machine~~ executed by the processor, cause the ~~machine~~ processor to:

create and store in the repository a textual explanation of the step that describes available user-selectable options for the step; and

bind the textual explanation in the repository to the step so that during execution of the configuration program the textual explanation of the step is displayed.

14. (Currently Amended) The ~~article~~ storage device of claim 13 including instructions that, when ~~applied to the machine~~ executed by the processor, cause the ~~machine~~ processor to translate the textual explanation into at least one different language.

15. (Currently Amended) The ~~article~~ storage device of claim 13 including instructions that, when ~~applied to the machine~~ executed by the processor, cause the ~~machine~~

Applicant : Yuh-Cherng Wu
Serial No. : 10/829,145
Filed : April 21, 2004
Page : 6 of 10

Attorney's Docket No.:13906-0122001/ 2003P00271 US

processor to evaluate the stability of a configured software application by executing the software application using a simulated user-selectable option.